

US HIV Prevalence

1985: 1,250,000, *Confronting AIDS*, Institute of Medicine, 1986. "Prevalence of HIV Infection", p. 70;

1986: 750,000, 4. "Changing Estimates of HIV-1 Seroprevalence in the United States", Sten H. Vermund, *Journal of NIH Research*, July 1991, pp. 77-81, <http://www.reviewingaids.org/awiki/files/PHDDC/VER.PDF>;

1986: 1,000,000-1,500,000, *Confronting AIDS*, Institute of Medicine, 1986. "Summary and Recommendations", p. 5; "Prevalence of HIV Infection", p. 69; "Projections by the Public Health Service", p. 85; "Mandatory Screening", p. 120. This is acknowledged to be an overestimate in the 1988 update, see *Confronting AIDS* (1988 update), Institute of Medicine, 1988, "Prevalence and Incidence of Infection in the United States", p. 4; "National Estimates of HIV Infection", p. 50, as well as "Changing Estimates of HIV-1 Seroprevalence in the United States", Sten H. Vermund, *Journal of NIH Research*, July 1991, pp. 77-81;

1987: 945,000-1,400,000, *Confronting AIDS* (1988 update), Institute of Medicine, 1988. "Prevalence and Incidence of Infection in the United States", p. 4; "National Estimates of HIV Infection", p. 50;

1987: 936,000-1,144,000, 7. "Changing Estimates of HIV-1 Seroprevalence in the United States", Sten H. Vermund, *Journal of NIH Research*, July 1991, pp. 77-81, <http://www.reviewingaids.org/awiki/files/PHDDC/VER.PDF>; **1988-89: 1,000,000**, "Changing Estimates of HIV-1 Seroprevalence in the United States", Sten H. Vermund, *Journal of NIH Research*, July 1991, pp. 77-81, <http://www.reviewingaids.org/awiki/files/PHDDC/VER.PDF>,

1989: 800,000-1,200,000, CDC, "Current trends estimates of HIV prevalence and projected AIDS cases: Summary of a workshop, October 31-November 1, 1989", (1990). *Morbidity and Mortality Weekly Report*, 39(7), 110-112, 117-119, <http://www.cdc.gov/MMWR/preview/mmwrhtml/00001564.htm>;

1990: 1,000,000, CDC, "HIV prevalence estimates and AIDS case projections for the United States: report based upon a workshop", *MMWR* 39, (RR16) 1, (1990), <http://www.cdc.gov/mmwr/preview/mmwrhtml/00001894.htm>;

1992: 1,000,000, "The second 100,000 cases of Acquired Immunodeficiency Syndrome - United States, June 1981-December 1991". *Morb. Mort. Weekly Rep.* 41: 28-29.", <http://www.reviewingaids.org/awiki/files/PHDDC/CEN8.PDF>;

1992: 650,000-900,000, "Prevalence of HIV infection in the United States, 1984 to 1992" J. M. Karon, P. S. Rosenberg, G. McQuillan, M. Khare, M. Gwinn and L. R. Petersen Division of HIV/AIDS Prevention Centers for Disease Control and Prevention, Atlanta, GA 30333, USA, *JAMA* Vol. 276 No. 2, July 10, 1996, http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=8656504&query_hl=8&itool=pubmed_docsum;

1993: 630,000-897,000, "Scope of the AIDS epidemic in the United States", Rosenberg PS, Science. 1995 Nov;270(5240):1372-5,
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=7481828&query_hl=10&itool=pubmed_docsum;

1996: 700,000, "The estimated prevalence and incidence of HIV in 96 large US metropolitan areas", Holmberg SD. Am J Public Health. 1996 May;86(5):642-54,
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=8629714&query_hl=12&itool=pubmed_docsum;

1998: 800,000-900,000, "HIV Prevalence in the United States, 2000" P. L. Fleming, R. H. Byers, P. A. Sweeney, D. Daniels, J. M. Karon, and R. S. Janssen CDC, Atlanta, GA Session 5 Oral Abstract Session Epidemiology and Infection Control Session Time: Monday, 10 am - 12:30 pm Room 6C, 9th Conference on Retroviruses and Opportunistic Infections, <http://www.retroconference.org/2002/abstract/13996.htm>;

2000: 850,000-950,000, "Estimated HIV prevalence in the United States at the end of 2003. National HIV Prevention Conference; June 2005; Atlanta.
<http://www.aegis.com/conferences/NHIVPC/2005/T1-B1101.html>; P. L. Fleming, R. H. Byers, P. A. Sweeney, D. Daniels, J. M. Karon, and R. S. Janssen CDC, Atlanta, GA Session 5 Oral Abstract Session Epidemiology and Infection Control Session Time: Monday, 10 am - 12:30 pm Room 6C, 9th Conference on Retroviruses and Opportunistic Infections <http://www.retroconference.org/2002/abstract/13996.htm>;

2001: 720,000, "Epidemiology of HIV/AIDS in the United States", HIV InSite Knowledge Base Chapter March 2003 Dennis H. Osmond, PhD, University of California San Francisco, <http://hivinsite.ucsf.edu/InSite?page=kb-01-03>;

2002: 687,000, Table 12, Estimated numbers of persons living with HIV infection (not AIDS) or with AIDS at the end of 2002, by state or area of residence and age category--United States, CDC HIV/AIDS Surveillance Report, Volume 14, 2002.
<http://www.cdc.gov/hiv/topics/surveillance/resources/reports/2002report/table12.htm>.
The number of HIV-infected (non-AIDS) is estimated as $(144,000)(304/145) = 302,000$ plus 385,000 AIDS cases gives 687,000 for HIV prevalence. The factor of $(304/145)$ is to account for states which are not represented in the HIV infection column because they did not have confidential name-based HIV infection reporting;

2003: 683,000, Table 12, Estimated numbers of persons living with HIV infection (not AIDS) or with AIDS at the end of 2003, by state or area of residence and age category--United States, CDC HIV/AIDS Surveillance Report, Volume 15, 2003.
<http://www.cdc.gov/hiv/topics/surveillance/resources/reports/2003report/table12.htm>.
The number of HIV-infected (non-AIDS) is estimated as $(175,000)(304/172) = 277,000$ plus 406,000 AIDS cases gives 683,000 for HIV prevalence. The factor of $(304/172)$ is to account for states which are not represented in the HIV infection column because they did not have confidential name-based HIV infection reporting;

2004: 752,000, Table 12, Estimated numbers of persons living with HIV infection (not AIDS) or with AIDS at the end of 2004, by area of residence and age category--United States, CDC HIV/AIDS Surveillance Report, Volume 16, 2004.
<http://www.cdc.gov/hiv/topics/surveillance/resources/reports/2004report/table12.htm>.

The number of HIV-infected (non-AIDS) is estimated as $(213,000)(304/192) = 337,000$ plus 415,000 AIDS cases gives 752,000 for HIV prevalence. The factor of (304/192) is to account for states which are not represented in the HIV infection column because they did not have confidential name-based HIV infection reporting.;

2005: 778,000, Table 12, Estimated numbers of persons living with HIV infection (not AIDS) or with AIDS at the end of 2005, by area of residence and age category--United States, CDC HIV/AIDS Surveillance Report, Volume 17, 2005.

<http://www.cdc.gov/hiv/topics/surveillance/resources/reports/2005report/table12.htm>.

The number of HIV-infected (non-AIDS) is estimated as $(215,000)(304/192) = 340,000$, plus 438,000 AIDS cases gives 778,000 for HIV prevalence. The factor of (304/192) is to account for states which are not represented in the HIV infection column because they did not have confidential name-based HIV infection reporting.